

FORM B.

Return showing the descriptions and weight of all yarn spun in the Cotton Mills in the Mysore State during the month ending 31st July 1939.

Count of yarn	Weight in pounds of each count	Count of yarn	Weight in pounds of each count	Count of yarn	Weight in pounds of each count
1 ^s	120	14 ^s	27,273	28 ^s	7,495
2 ^s	3,537	14½ ^s	91,698	30 ^s	54,189
3 ^s	...	15 ^s	17,527	32 ^s	34,069
4 ^s	7,498	16 ^s	43,802	35 ^s	...
6 ^s	2,226	16½ ^s	4,887	36 ^s	142,698
6½ ^s	56,701	17 ^s	...	38 ^s	12,223
7 ^s	7,788	18 ^s	7,035	40 ^s	23,772
8 ^s	33,782	18½ ^s	...	42 ^s	15,766
8½ ^s	131,320	19 ^s	63,559	44 ^s	13,125
9 ^s	...	20 ^s	336,384	46 ^s	...
10 ^s	..	20½ ^s	64,534	50 ^s	2,377
10½ ^s	190,115	21 ^s	150,951	60 ^s	1,226
11 ^s	15,060	21½ ^s	...	80 ^s	114
11½ ^s	...	22 ^s	10,624		
12 ^s	36,460	22½ ^s	8,862		
12½ ^s	100,022	24 ^s	57,094		
13 ^s	8,983	26 ^s	11,819		
13½ ^s	...	27 ^s	5,871	Total ...	1,802,586

BANGALORE,
Dated 5th September 1939.

V. VENKATACHAR,
For Director.

MYSORE STATE DEPARTMENT OF PUBLIC HEALTH.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE
FOR THE WEEK ENDED THURSDAY, SEPTEMBER 7, 1939.

A total of 21 attacks with 8 deaths from Plague was returned during the week against 22 attacks with 12 deaths in the previous week. Cities of Bangalore and Mysore and Kolar Gold Field Area remained free from the disease. Comparative figures for the corresponding weeks in 1938 and 1937 were 20 attacks with 17 deaths and 76 attacks with 33 deaths, respectively.

A total of 9 attacks with 5 deaths from Small-pox was reported from one village in each of Channapatna and Channagiri Taluks, Channapatna Town and from Cities of Bangalore and Mysore.

The State remained free from Cholera, Influenza and Relapsing Fever.

The total mortality for Bangalore City amounted to 125 (48 in hospitals), representing a calculated death-rate of 29.9 (18.4 excluding hospital deaths) per mille of population as against 27.0 for the corresponding week of last year. Classified according to causes, the deaths numbered—5 under Typhoid, 1 under Other Fevers, 9 under Phthisis, 25 under Dysentery and Diarrhoea and 85 under all other causes. The reported mortality was low.

During the week, the Civil and Military Station, Bangalore, returned 82 deaths (10 in hospitals), representing a calculated death-rate of 29.0 (25.5 excluding hospital deaths), per mille of population as against 31.8 for the corresponding week of last year. Classified according to causes, the deaths were—Malaria 1, Broncho-Pneumonia 2, Pneumonia 8, Phthisis 1, Dysentery and Diarrhoea 14, and all other causes 56. The reported mortality was normal.

The total mortality for Mysore City was 84 (32 in hospitals), representing a calculated death-rate of 34.5 (21.4 excluding hospital deaths) per mille of population as against 33.5 for the corresponding week of last year. Classified according to causes, the deaths were—Small-pox 1, Malaria 2, Typhoid 2, Other Fevers 3, Phthisis 9, Dysentery and Diarrhoea 12, and all other causes 55. The reported mortality was normal.

There were 46 deaths (12 in hospitals), from all causes in Kolar Gold Field Area equivalent to a calculated death-rate of 28.8 (21.3 excluding hospital deaths) per mille of population as against 32.5 for the corresponding week of last year. Classified according to causes, the deaths numbered—4 under Other Fevers, 1 under Phthisis, 7 under Dysentery and Diarrhoea and 34 under all other causes. The reported mortality was normal.

P. PARTHASARATHY,
Director.